



www.autismresearchgroup.org

**Research on Early Intensive Behavioral Intervention
Updated April, 2012**

Outcome Studies

- Cohen, H., Amerine-Dickens, M., Smith, T. (2006). Early Intensive Behavioral Treatment: Replication of the UCLA Model in a Community Setting. *Developmental and Behavioral Pediatrics, 2*, 145-157.
- Eikeseth, S., Smith, T., Jahr, E. & Eldevik, S. (2007). Outcome for children with autism who began intensive behavioral treatment between ages 4 and 7: A comparison controlled study. *Behavior Modification, 31*, 264-278.
- Howard, J. S., Sparkman, C. R., Cohen, H. G., Green, G., Stanislaw, H. (2005). A comparison of behavior analytic and eclectic treatments for children with autism. *Research in Developmental Disabilities, 26*, 359-383.
- Lovaas, I. O. (1987). Behavioral treatment and normal educational and intellectual functioning in young autistic children. *Journal of Consulting and Clinical Psychology, 55*, 3-9.
- McEachin, J. J., Smith T., & Lovaas, I. O. (1993). Long-term outcome for children with autism who received early intensive behavioral treatment. *American Journal on Mental Retardation, 55*, 359-372.
- Perry, A., et al. (2008). Effectiveness of intensive behavioral intervention in a large, community-based program. *Research in Autism Spectrum Disorders, 2*, 621-642.
- Remington, B., Hastings, R. P., Kovshoff, H., Espinosa, F. E., Jahr, E., Brown, T., Alsford, P., Lemaic, M., & Ward, N. (2007). Early intensive behavioral intervention: Outcomes for children with autism and their parents after two years. *American Journal on Mental Retardation, 112*, 418-438.
- Sallows, G. O. & Graupner, T. D. (2005). Intensive behavioral treatment for children with autism: Four-year outcome and predictors. *American Journal on Mental Retardation, 110*, 417-438.
- Smith, T., Groen, A. D., Wynn, J. W. (2000). Randomized trial of intensive early intervention for children with pervasive developmental disorder. *American Journal on Mental Retardation, 105*, 269-285.
- Zachor, D. A., Ben-Itzhak, E. L., Rabinovich, A. L., & Lahat, E. (2007). Change in autism core symptoms with intervention. *Research in Autism Spectrum Disorders, 1*, 304-317.

Reviews and Meta-Analyses

- Eikeseth, S. (2009). Outcome of comprehensive psycho-educational interventions for young children with autism, *Research in Developmental Disabilities*, *30*, 158-178.
- Eldevick, S., Hastings, R. P., Hughes, J. C., Jahr, E., Eikeseth, S., & Cross, S. (2009). Meta-analysis of early intensive behavioral intervention for children with autism. *Journal of Clinical Child and Adolescent Psychology*, *38*, 439-450.
- Granpeesheh, D., Tarbox, J., & Dixon, D. (2009). Applied behavior analytic interventions for children with autism: A description and review of treatment research. *Annals of Clinical Psychiatry*, *21*, 162-173.
- Maine Administrators of Services for Children with Disabilities (MADSEC) (2000). *Report of the MADSEC Autism Task Force*.
- Matson, J. L., Benavidez, D. A., Compton, L. S., Paclawskjy, T., & Baglio, C. (1996). Behavioral treatment of autistic persons: A review of research from 1980 to the present. *Research in Developmental Disabilities*, *17*, 433-465.
- Myers, S. M., & Plauché Johnson, C. (2007). Management of children with autism spectrum disorders. *Pediatrics*, *120*, 1162-1182.
- National Academy of Sciences (2001). *Educating Children with Autism*. Commission on Behavioral and Social Sciences and Education.
- National Autism Center (2009). *National Standards Report*. Randolph, MA: National Autism Center.
- New York State Department of Health, Early Intervention Program (1999). *Clinical Practice Guideline: Report of the Recommendations: Autism / Pervasive Developmental Disorders: Assessment and Intervention for Young Children (Age 0-3 years)*.
- Reichow, B. (2011). Overview of meta-analyses on early intensive behavioral intervention for children with autism spectrum disorders. *Journal of Autism and Developmental Disorders*. DOI 10.1007/s10803-011-1218-9
- Reichow, B., & Wolery, M. (2009). Comprehensive Synthesis of Early Intensive Behavioral Interventions for Young Children with Autism Based on the UCLA Young Autism Project Model. *Journal of Autism and Developmental Disorders*, *39*, 23-41.
- Rogers, S. J. & Vismara, L. A. (2008). Evidence-based comprehensive treatments for early autism. *Journal of Clinical Child & Adolescent Psychology*, *37*, 8-38.
- US Department of Health and Human Services (1999). *Mental Health: A Report of the Surgeon General*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, National Institutes of Health, National Institute of Mental Health.

Prevalence of ASD

- Autism and Developmental Disabilities Monitoring Network (2007). Surveillance Year 2002 Principal Investigators; Centers for Disease Control and Prevention. Prevalence of Autism Spectrum Disorders: Autism and Developmental Disabilities Monitoring Network, 14 Sites, United States, 2002. *MMWR Surveillance Summaries*, *56*, 1-11.

Autism and Developmental Disabilities Monitoring Network (2009). Prevalence of Autism Spectrum Disorders - Autism and Developmental Disabilities Monitoring Network, United States, 2006. *MMWR Surveillance Summaries*, 56, 1-11.

Cost Effectiveness

Chasson, G. S., Harris, G. E., & Neely, W. J. (2007). Cost comparison of early intensive behavioral intervention and special education for children with autism. *Journal of Child and Family Studies*, 16, 401-413.

Jacobson, J. W. & Mulick, J. A. (2000). System and cost research issues in treatments for people with autistic disorders. *Journal of Autism and Developmental Disorders*, 3, 585-593.

Jacobson, J. W., Mulick, J. A., & Green, G. (1998). Cost-benefit estimates for early intensive behavioral intervention for young children with autism – general model and single-case statement. *Behavioral Interventions*, 13, 201-226.

Recovery / Loss of Diagnosis / Change of Diagnosis

Butter, E. M., Mulick, J. A., & Metz, B. (2006). Eight cases reports of learning recovery in children with pervasive developmental disorders after early intervention. *Behavioral Interventions*, 21, 227-243.

Fein, D., Dixon, P., Paul, J., Levin, H., (2005). Brief Report: Pervasive Developmental Disorder Can Evolve into ADHD: Case Illustrations. *Journal of Autism and Developmental Disorders*. 4, 525-534.

Granpeesheh, D., Tarbox, J., Dixon, D., Carr, E., & Herbert, H. (2009). Retrospective Analysis of Clinical Records in 38 Cases of Recovery from Autism. *Annals of Clinical Psychiatry*, 21, 195-204.

Green, G., B., L. C. & Fein, D.(2002). Intensive behavioral treatment for a toddler at high risk for autism. *Behavior Modification*, 26, 69-102

Helt, M., Kelly, E., Kinsbourne, M., Pandey, J., Boorstein, H., Herbert, M., & Fein, D. (2008). Can children with autism recover? If so, how? *Neuropsychological Review*, 18, 339-366.

Lovaas, I. O. (1987). Behavioral treatment and normal educational and intellectual functioning in young autistic children. *Journal of Consulting and Clinical Psychology*, 55, 3-9.

Treatment Intensity

Eldevik, S., Eikeseth, S., Jahr, E. & Smith, T. (2006). Effects of Low-Intensity Behavioral Treatment for Children With Autism and Mental Retardation. *Journal of Autism and Developmental Disorders*, 36, 211-224.

Graff, R., Green, G. & Libby M. E. (1998) Effects of two levels of treatment intensity on a young child with severe disabilities. *Behavioral Interventions*, 13, 21-41.

Granpeesheh, D., Dixon, D.R., Tarbox, J., Kaplan, A.M. & Wilke, A.E. (2009). The effects of age and treatment intensity on behavioral intervention outcomes for

- children with autism spectrum disorders. *Research in Autism Spectrum Disorders*, 3, 1014-1022.
- Lovaas, I. O. (1987). Behavioral treatment and normal educational and intellectual functioning in young autistic children. *Journal of Consulting and Clinical Psychology*, 55, 3-9.

Predictors of Response-to-Treatment

- Ben Itzhak, E., & Zachor, D.A. (2011). Who benefits from early intervention in autism spectrum disorders? *Research in Autism Spectrum Disorders*, 5, 345-350.
- Eikeseth, S., Smith, Tristram., Jahr, E., & Eldevik, S. (2007). Outcome for children with autism who began intensive behavioral treatment between ages 4 and 7. *Behavior Modification*, 31, 264-278.
- Fenske, E. C., Zalenski, S., Krantz, P. J. & McClannahan, L. E. (1985). Age at intervention and treatment outcome for autistic children in a comprehensive intervention program. *Analysis and Intervention in Developmental Disabilities*, 3, 49-58.
- Harris, S. L. & Handleman, J. S. (2000). Age and IQ at intake as predictors of placement for young children with autism: A four- to six-year follow-up. *Journal of Autism and Developmental Disorders*, 30, 137-142.
- Magiati, I., Moss, J., Charman, T., & Howlin, P. (2011). Patterns of change in children with autism spectrum disorders who received community based comprehensive interventions in their pre-school years: a seven year follow-up study. *Research in Autism Spectrum Disorders*, 5, 1016-1027.
- Perry, A., Cummings, A., Geier, J.D., Freeman, N.L., Hughes, S., Managhan, T., ... Williams, J. (2011). Predictors of outcome for children receiving intensive behavioral intervention in a large, community-based program. *Research in Autism Spectrum Disorders*, 5, 592-603.
- Sallows, G. O. & Graupner, T. D. (2005). Intensive behavioral treatment for children with autism: Four-year outcome and predictors. *American Journal on Mental Retardation*, 110, 417-438.